

INDEX MAPS.

T. 5N, R. 2E. 2nd Mer.

	200	200	199-201	199-201	199-201	199-201
203	6 221	5 218	4 214	3 210	2 207	1 199
	222	221	217	214	210	206
208	7 221	8 217	9 213	10 210	11 206	12 198
	222	221	217	213	209	206
202	18 220	17 216	16 213	15 209	14 205	13 198
	222	220	216	212	209	205
202	19 220	20 216	21 212	22 208	23 205	24 198
	223	219	215	212	208	204
202	30 219	29 215	28 211	27 208	26 204	25 197
	223	219	215	211	207	204
201	31 218	32 214	33 211	34 207	35 203	36 197
	195-196	195-196	195-196	195-196	195-196	195-197

T. 6N, R. 2E. 2nd Mer.

	231	230	230	230	229	229
182	6 230	5 227	4 233	3 230	2 236	1 229
	251	250	246	243	239	236
132	7 250	8 246	9 243	10 239	11 236	12 228
	261	249	246	242	239	235
132	18 249	17 245	16 242	15 238	14 235	13 228
	261	249	245	242	238	235
182	19 248	20 245	21 241	22 238	23 234	24 228
	252	248	245	241	237	234
231	30 248	29 244	28 241	27 237	26 234	25 227
	252	247	244	240	237	233
231	31 247	32 244	33 240	34 237	35 233	36 227
	225-226	225-226	225-226	225-226	225-227	225-227

(F) The figures on the lines refer to the page.

Township N. 6 North, Range N. 3 East Ind Mer. Indiana

South Boundary

West 1st Mile on Random between Town 5 & 6 N. R. 2 E.

40.00 Set tempf. 1/2 mile post

80.00 Set tempf. Mile post

Land rolling, timber Beech, Poplar &c.

West 2^d mile on Random between Town 5 & 6, R. 2 E.

40.00 Set tempf. q. Sec. post

65.00 a Brook 20 hrs. wide Cr. S. W.

80.00 Set tempf. Mile post.

Land brushy and hilly, timber the same

West 3rd Mile on Random betw. Town 5 & 6 N. R. 2 E.

12.00 a Brook 25 hrs. wide Cr. S. W.

39.50 Same 25 " " " S. W.

40.00 Set tempf. q. Sec. post

66.30 a Brook 19 hrs. wide Cr. L. at the bottom of

80.00 Set tempf. Mile post - Land ^{which is steep side} the same.

West 4th Mile on Random between Town 5 & 6 N. R. 2 E.

40.00 Set tempf. q. Sec. post

80.00 Set tempf. Mile post.

Land good for farming, timber Beech, Sugar, Oak &c.

West 5th Mile on Random betw. Town 5 & 6 N. R. 2 E.

40.00 Set tempf. q. Sec. post

80.00 Set tempf. Mile post

Land timber &c. same as on the last mile

West 6th Mile on Random betw. Town 5 & 6 N. R. 2 E.

26.00 a Brook 19 hrs. wide Cr. South

40.00 Set tempf. q. Sec. post

63.57 Fall S. of Town Corner. Land rich, Sugar, beech &c.

T6N-R2E, 2nd Mer. Indiana

variation 6° 20' E.

- East On true line S. boundary Sec. 31, T6N. R2E.
 23.57 Set the q. Sec. post on true line, from which
 a Beech 8 in. dia. bran N39°W60th. dist. of
 a do 8 " " " 169°W36" "
 63.57 Set a post Cor. to Sec. 31 & 32, from which
 an Ironwood 6 in. dia. bran N83°E13th. dist. of
 a Dogwood 8 " " " N44°W5" .
-

- East On S. boundary of Sec. 32, T6N. R2E.
 40.00 Set the q. Sec. post on true line from which
 a Sassafras 8 in. dia. bran S80°E27th. dist. of
 a Beech 12 " " " 169°W8" "
 80.00 Set a post Cor. to Sec. 32 & 33, from which
 a Beech 12 in. dia. bran S71°E29th. dist. of
 a do 12 " " " N11°E7" .
-

- East On true line S. boundary of Sec. 33, T6N. R2E.
 40.00 Set the q. Sec. post on true line from which
 a Beech 12 in. dia. bran S43°W21th. dist. of
 a Gum 12 " " " 153°E9" "
 80.00 Set a post Cor. to Sec. 33 & 34, from which
 a Beech 12 in. dia. bran S43°E13th. dist. of
 a Sugar 12 " " " N71°W32" .
-

- East On true line S. boundary of Sec. 34, T6N. R2E
 40.00 Set the q. Sec. post on true line, from which
 a W. Walnut 10 in. dia. bran N28°E9th. dist. of
 a Sugar 20 " " " 159°E19" "
 80.00 Set a post Cor. to Sec. 34 & 35, from which
 a Beech 20 in. dia. bran N59°E14th. dist. of
 a do 20 " " " N18°W29" .
-

231

H. N. R.R. Co., Mer. Indiana

East On true line on S. boundary Sec. 35, H. N. R.R. Co.
 40.00 Set the q. Sec. post, on true line, from which
 a Beech 12 in. dia. bran N 28° W 12 lbr. dist. of
 a Do - " " " 177° W 37 " "
 80.00 Set a post Cor. to Sec. 35 & 36, from which
 a Dogwood 6 in. dia. bran N 12° W 21 lbr. dist. of
 an Ironwood 6 " " 180° W 20 " "

East On true line S. boundary of Sec. 36, H. N. R.R. Co.
 40.00 Set the q. Sec. post on true line, from which
 a Beech 10 in. dia. bran N 11° W 20 lbr. dist. of
 a Do 10 " " 172° E 32 " "
 80.00 to the Town Corner.

East Boundary var. 7.00' E.
 North On E. boundary of Sec. 36, H. N. R.R. Co.
 9.20 a Beech 20 in. dia.
 16.70 a Brook 10 lbr. wide at. N.
 40.00 Set the q. Sec. post, from which
 a Sugar 10 in. dia. bran N 61° W 22 lbr. dist. of
 an Ironw. 6 " " 171° E 21 " "
 60.30 a Sugar 20 " "
 76.00 a Brook 8 lbr. wide at. N.
 80.00 Set a post Cor. to Sec. 25 & 36, from which
 a Beech 15 in. dia. bran N 49° 32 lbr. dist. of
 a Do 15 " " 172° E 12 " ".
 Land rolling, timber Beech, Sugar, Poplar &c.

North On E. boundary of Sec. 25, H. N. R.R. Co.
 30.50 a Brook 10 lbr. wide at. N.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran S 58° E 13 lbr. dist. of
 a Dogw. 5 " " 166° W 20 " "

56 N - R.R. E. I. Mer. Indiana

80.00 Set a post Cov. to Sec. 24 & 25, from which
 a Beech 15 in. dia. bran 19 ft 20 lbs. dist. of
 a do 15 " " " 170 ft 12 " "
 Good farming land, timber the same

North On E. boundary of Sec. 24, 56 N. R.R. E.
 40.00 Set the q. Sec. post, from which
 a Beech 10 in. dia. bran 11 ft 41 lbs. dist. of
 a do gr. 6 " " " 158 ft 13 " "
 80.00 Set a post Cov. to Sec. 13 & 24, from which
 a W. Ash 6 in. dia. bran 11 ft 8 ft 2 lbs. dist. of
 a do gr. 6 " " " 178 ft 2 " "
 Land rolling, timber Oak & Hickory

North On E. boundary of Sec. 13, 56 N. R.R. E.
 39.00 a Brook 10 ft wide C.L. N.C.
 40.00 Set the q. Sec. post, from which
 a sugar 10 in. dia. bran 11 ft 25 lbs. dist. of
 a do 6 " " " 163 ft 32 " "
 80.00 Set a post Cov. to Sec. 12 & 13, from which
 a Gum 10 in. dia. bran 19 ft 32 lbs. dist. of
 a B. Oak 8 " " " 179 ft 54 " "
 This mile over very high hills, soil thin,
 timber Oak and Hickory.

North On E. boundary of Sec. 12, 56 N. R.R. E.
 40.00 Set the q. Sec. post, from which
 a B. Oak 6 in. dia. bran 14 ft 21 lbs. dist. of
 a do 8 " " " 123 ft 10 " "
 80.00 Set a post Cov. to Sec. 11 & 12, from which
 a sugar 12 in. dia. bran 14 ft 30 lbs. dist. of
 a Beech 10 " " " 166 ft 11 " "
 Land timber &c. same as on the last mile.

227

Sec. R.R.E. I. Mer. Indiana

North On E. boundary of Sec. 1. S. 16 N. R. 2 E.
 16.00 a Brook 18 lbs. wide C. S. E.
 40.00 left q. Sec. post, from which
 a Hickory 10 in. dia. bran 118 39 lbs. distant.
 80.00 set temp^t. post at the exact 6 miles from the S. E. cor.
 Surveyed by Arthur Bonne, D. S. March 1810 - Continued
 By Alexander Holony, D. S. March 25. 1811.
 86.00 intersected my west line 9.00 E. of temp^t. post.
 Set a post Cor. to Town 6¹/₂ N. Range 2¹/₂ E., from which
 a Beech 16 in. dia. bran 113 97 lbs. dist. of
 a W. Oak 16 " " " 153 97 51 " "
 This mile over hilly & brushy land thin soil.

North Boundary. March 25.th 1811

Ascertained the variation to be 6.15' E.

West 1st mile between Town 6¹/₂ N. Range 2 E.
 10.00 a Brook 8 lbs. wide C. S. E.
 24.00 a do 3 lbs. " " S. E.
 36.00 a sugar 10 in. dia.
 40.00 left q. Sec. post, from which
 a W. Oak 16 in. dia. bran 186 843 lbs. dist. 1
 80.00 set a post Cor. to Sec. 35 & 36, 7¹/₂ N. R. 2 E., from which
 a P. Oak 36 in. dia. bran 115 97 11 lbs. dist. of
 a do 6 " " " 115 97 10 " "
 hilly poor oak land

West 2nd mile between Town 6¹/₂ N. Range 2 E.

18.00 a Brook 48 lbs. wide C. S. E.
 22.00 left do
 30.00 a Brook 6 lbs. wide C. S. E.
 40.00 left q. Sec. post from which
 a Beech 18 in. dia. bran 156 832 lbs. dist. of
 a sugar 6 " " " 135 97 27 " "

F.C.R.R.E.I. Mer. Indiana

80.00 Set a post Cor. to Sec. 34 & 35, 57 N. R. 2 E., from which
a Gum 30 in. diam. bran 16 ft 34 lbs. dist. of
no other timber near.

Hilly land timber Oak, Beech & sugar

West 3rd mile between Town 6 & 7, R. 2 E.

40.00 Set the q. Sec. post, from which
a Poplar 36 in. diam. bran 120 ft 7 lbs. dist. of
a R. Oak 16 " " " 181 E - " "

60.00 at Brook 3 lbs. wide C. S. N. E.

80.00 Set a post Cor. to Sec. 33 & 34, 57 N. R. 2 E., from which
a Chestnut Oak 30 in. diam. bran 177 ft 7 lbs. dist. of
a Do 12 " " " 149 E 15 " "

Hilly oak land.

West 4th mile between Town 6 & 7 N. R. 2 E.

Over hilly & rough land Oak, Chestnut &c

40.00 Set the q. Sec. post, from which
a Hickory 24 in. diam. bran 114 E 8 lbs. dist. of
a Chas. Oak 12 " " " 117 E 17 " "

58.00 at Brook 3 lbs. wide C. S. N. W.

80.00 Set a post Cor. to Sec. 32 & 33, 57 N. R. 2 E., from which
a Chestnut Oak 18 in. diam. bran 175 E 9 lbs. dist. of
a Dogwood 5 " " " 157 ft 8 " "

Hilly and Brush.

West 5th mile between Town 6 & 7 N. R. 2 E.

10.00 at Brook 3 lbs. wide C. S. N.

25.00 a Do 3 lbs. " " N.

40.00 Set the q. Sec. post, from which
a R. Oak 10 in. diam. bran 170 E 11 lbs. dist. of
a R. Oak 18 " " " 140 E 13 " "

80.00 Set a post Cor. to Sec. 31 & 32, 57 N. R. 2 E., from which

23

Sec R. 2 E. 2nd Mer. Indiana

a R. Oak 18 in. dia. bran S 70° E 19 lbs. dist. 8
a W. Oak 8 " " " N 84° W 34 "

Hilly oak land.

West 6th Mile between Town 6 & 7 N. Range 2 E.
40.00 Set the q. Sec. post, from which
a Hickory 7 in. dia. bran S 55° W 25 lbs. dist. 8
a Sto 7 " " " N 63° E 31 "
61.00 a Creek 50 lbs. wide Cr. S. W.
80.00 Set temp. Town Cor. The true distance of the
6th Mile, or S. boundary of Sec. 31, T. 7 N. R. 2 E. is 62.50
for the bearings, See page 233
Surveyed in 1811, by Alexander Holmes, D.S.

West Boundary var. 7° 30' E
North On E. boundary of Sec. 36, T. 6 N. R. 1 E.
24.25 a Poplar 40 in. dia.
40.00 Set the q. Sec. post, from which
a Beech 8 in. dia. bran S 56° E 8 lbs. dist. 8
a Sugar 12 " " " N 71° W 11 " "
64.53 a. R. Oak 20 " .
80.00 Set a post Cor. to Sec. 25 & 36, T. 6 N. R. 1 E, from which
a Beech 12 in. dia. bran S 38° E 14 lbs. dist. 8
a R. Ash 12 " " " N 3° W 16 " "
Good farming land.

North On E. boundary of Sec. 25, T. 6 N. R. 1 E.
28.50 a Brook 25 lbs. wide Cr. W.
40.00 Set the q. Sec. post, from which
a Dogwood 6 in. dia. bran S 46° E 5 lbs. dist. 8
a W. Oak 24 " " " N 46° W 14 " "
46.60 a Poplar 30 " .
52.00 a Brook 12 lbs. wide Cr. N.W.

Sec. N.R. 2 E. 2^d. Mer. Indiana

80.00 Set a post Cor. to Sec. 24 & 25, Sec. N.R. 2 E, from which
a Beech 12 in. dia. bran. 18 31 lbs. dist. of
a W. Oak 12 " " " 132 820 "
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, Sec. N.R. 2 E.
40.00 Set the q. Sec. post, from which
a Hickory 12 in. dia. bran. 180 812 lbs. dist. of
a Beech 15 " " " 118 622 "
80.00 Set a post Cor. to Sec. 13 & 24, Sec. N.R. 2 E, from which
a W. Oak 8 in. dia. bran. 13 8 5 lbs. dist. of
a Do 8 " " " 156 916 "
Sand hilly thin Soil very brushy with Oak.

North On E. boundary of Sec. 13, Sec. N.R. 2 E.
40.00 Set the q. Sec. post, from which
an Elm 10 in. dia. bran. 144 911 lbs. dist. of
a Do 8 " " " 113 911 "
40.50 at Brook 30 lbs. wide C.L. S. 911.
52.30 W. Oak 30 in. dia.
80.00 Set a post Cor. to Sec. 12 & 13, Sec. N.R. 2 E, from which
a W. Oak 12 in. dia. bran. 159 914 lbs. dist. of
a Sugar 8 " " " 164 914 "
Sand hilly and brushy thin Soil

North On E. boundary of Sec. 12, Sec. N.R. 2 E.
40.00 Set the q. Sec. post, from which
a Sugar 10 in. dia. bran. 177 828 lbs. dist. of
a Beech 10 " " " 117 8 21 "
40.50 at Brook 20 lbs. wide C.L. 911
80.00 Set a post Cor. to Sec. 13 & 12, Sec. N.R. 2 E, from which
a Hickory 12 in. dia. bran. 150 912 5 lbs. dist. of
a Beech 20 " " " 128 813 "

Sec. Rd C. I. Mer. Indiana

233

Land timber &c. same as on the last mile

-
- North On E. boundary of Sec. 1, Sec. Rd 1 E.
40.00 Set the q. Sec. post, from which
a W. Oak 20 in. dia. bran N 22° W 8.6 ft. dist. of
a Hickory 6 " " N 22° W 4 " "
80.00 Set a post at the distance of 6 miles from the
South boundary - Surveyed in 1810, by A. Hennie, D.S.
Continued by Alexander Holony, D.S. March 1811.
84.00 a Creek 50 ft. wide C.R. J. M.
85.00 Intersected the N. boundary 17.50, E. of temp. post.
Set a post Cor. to Town 6 & 7 N. Range 16 2 E., from
which a Sugar 16 in. dia. bran S 32° E 11 ft. dist. of
a Hickory 14 " " N 14° E 28 " "
Land timber &c. same as on the last mile

Comp

Subdivision.

- North Between Sec. 35 & 36, Sec. Rd 1 E.
26.50 at Brook 10 ft. wide C.R. J. M.
40.00 Set the q. Sec. post, from which
a Sugar 20 in. dia. bran N 4° W 17 ft. dist. of
a Beech 18 " " N 60° E 6 " "
80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
a Beech 20 in. dia. bran N 6° W 33 ft. dist. of
a Dogwood 6 " " N 77° E 3 " "
Land rich and rolling, timber Sugar, Beech, ash &c.
-

- East On Random between Sec. 25 & 36, Sec. Rd 1 E.
40.00 Set temp. q. Sec. post
80.10 Intersected the E. boundary 10 ft. S. of corner.
Land, timber &c. same as on the last mile
-

- West On true line between Sec. 25 & 36, Sec. Rd 1 E.

S. N. R.R. E. I. Mer. Indiana

40.05 Set q. Sec. post at avg. dist. from which
 a Beech 12 in. dia. bran N 47 W 15 lbs. dist. of
 a slo 24 " " " N 66 E 27 " "
 80.10 to Sec. Corner

North Between Sect. 25 & 26, S. N. R.R. E.

1.50 a Brook 15 lbs. wide Q. S. W.
 19.00 a Brook 20 " " " S. W.
 40.00 Set a post for q. Sec. Cor. from which
 a Beech 10 in. dia. bran S 10 E 16 lbs. dist. of
 a sugar 20 " " " S 23 W 11 " "
 80.00 Set a post Cor. to Sect. 23, 24, 25 & 26, from which
 a Beech 10 in. dia. bran N 46 E 5 lbs. dist. of
 a slo 24 " " " S 85 W 40 " "
 Land, timber &c. same as on the last mile.

East On Random between Sect. 24 & 25, S. N. R.R. E.

40.00 Set temp. q. Sec. post

80.04 Intersected the E. boundary 19 lbs. N. of Cor.

Land timber &c. same as on the last mile

West On true line between Sect. 24 & 25, S. N. R.R. E.

40.02 Set q. Sec. post at average dist. from which
 a sugar 12 in. dia. bran S 20 E 5 lbs. dist. of
 a Beech 10 " " " N 20 W 40 " "

80.04 to Sec. Corner.

North Between Sect. 23 & 24, S. N. R.R. E.

34.30 a W. Oak 20 in. dia.

40.00 Set the q. Sec. post, from which
 a Beech 20 in. dia. bran N 65 W 12 lbs. dist. of
 a Dogwood 6 " " " N 50 E 12 " "

80.00 Set a post Cor. to Sect. 13, 14, 23 & 24, from which

235

H. N. P. & E. I. Mer. Indiana

at Beech 10 in. dia. bran S 6 E 33 1/2 ft. dist. of
 a loc 6 " " " N 27 9/10 " "
 Land level, timber same as on the last mile

East On Random between Sec. 13 & 24, H. N. P. & E.
 40.00 Set tempy. of. Sec. post
 79.88 Intersected the N. & S. line 14 1/2 ft. dist. North of cor.
 Land timber &c. same as on the last mile

West Between Sec. 13 & 24 on true line
 39.94 Set of. Sec. post at avg. dist. from which
 a Maple 10 in. dia. bran S 15 9/16 1/2 ft. dist. of
 a Beech 8 " " " N 23 9/10 5 " "
 79.88 to Sec. Corner.

North Between Sec. 13 & 14, H. N. P. & E.
 40.00 Set the of. Sec. post, from which
 a Maple 10 in. dia. bran S 19 9/16 1/2 ft. dist. of
 a Beech 10 " " " N 36 9/10 30 " "
 56.00 a Brook 5 ft. wide C. P. N. E.
 80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which
 a B. Oak 10 in. dia. bran S 9 9/10 30 1/2 ft. dist. of
 a Hickory 6 " " " N 10 8 42 " ".
 Land very hilly thin soil.

East On Random between Sec. 13 & 13, H. N. P. & E.
 40.00 Set tempy. of. Sec. post
 79.98 Intersected the E. boundary 10 ft. S. of the corner
 Land timber &c. same as on the last mile.

West On true line between Sec. 12 & 13, H. N. P. & E.
 39.99 Set of. Sec. post at avg. dist. from which
 a Maple 12 in. dia. bran West 50 1/2 ft. dist.

Sect. R.R. E. I. Mer. Indiana

79.98 to the Section Corner.

North Between Sect. 11 & 12, Sect. R.R. E. I. Mer.
40.00 Set the q. Sec. post, from which
a B. Oak 10 in. diam. bran N39°W20' th. dist. of
a Hickory 8 " " " N55E5 " "
80.00 Set a post cor. to Sect. 1, 2, 11 & 12, from which
a B. Oak 10 in. diam. bran N56E15' th. dist. of
a Syc 6 " " " N36W12 " "
Land very hilly, timber, same as on last mile
underbrush Oak & Hickory. March 21st 1814

East On Random between Sect. 1 & 12,
40.00 Set temp. q. Sec. post
79.84 Intersected the E. boundary 20' th. N. of the corner.
Land &c. same as on the last mile - very hilly.

West On true line between Sect. 1 & 12, Sect. R.R. E.
39.92 Set q. Sec. post at average dist. from which
a B. Oak 6 in. diam. bran West 25' th. dist. of
a Syc 10 " " " S83E26 " "
79.84 to Sec. Corner.

North Between Sect. 1 & 2, Sect. R.R. E. I. Mer.
7.00 a Brook 10' th. wide C.L. N.E.
32.50 a W. Oak 20 in. diam.
40.00 Set the q. Sec. post, from which
a Gum 10 ins. diam. bran N63°W13' th. dist. of
a Hick. 6 " " " S28E9 " "
87.30 Intersected the N. boundary 125' th. E. of the corner
Set a post cor. to Sect. 1 & 2, from which
a Gum 10 in. diam. bran S71E27' th. dist. of
a W. Oak 8 " " " S71W25 " "

237

Sec R.R. E. I. Mer. Indiana

Land timber &c. same as on the last mile

North Between Sec. 34 & 35, Sec. R.R. E.

40.00 Set two q. sec. post, from which
a Sassafras 10 in. diam. bran 186 ft 5 in. dist. &
a Do 10 " " N 75 E 12 " "

45.00 a Brook 8 in. wide Cr. S. W.

80.00 Set a post cor to Sec. 26, 27, 33 & 34, from which
a Beech 12 in. diam. bran 170 ft 17 in. dist. &
a Do 12 " " S 28 E 20 " "

Land rolling, timber Beech, Oak & Hickory.

East On Random between Sec. 26 & 35, Sec. R.R. E.

40.00 Set two q. sec. post

75.00 a Brook 12 in. wide Cr. S. W.

80.12 Intersected the N.W.S. line 8 in. S. of the corner
Land timber &c. same as on the last mile

West On true line between Sec. 26 & 35, Sec. R.R. E.

40.06 Set q. sec. post at average distance, from which
a Beech 8 in. diam. bran West 1 link distant.

80.12 to Sec. corner.

North Between Sec. 26 & 27, Sec. R.R. E.

40.00 Set two q. sec. post, from which
a Beech 10 in. diam. bran N 28 W 14 th. dist. &
a Do 10 " " N 30 E 25 " "

80.00 Set a post cor. to Sec. 22, 23, 26 & 27, from which
a Maple 16 in. diam. bran N 18 W 14 th. dist. &
a Poplar 40 " " S 45 E 25 " "

Land timber &c. same as on the last mile

East On Random between Sec. 23 & 26, Sec. R.R. E.

Sect N.D.E. I. Mer. Indiana

20.00 a Brook 12 in. wide C. S. 147.

40.00 Set tempy. q. Sec. post.

79.92 intersected the N. & S. line 12 in. S. of the cor.
Sand, timber &c. same as on the last mile

West On true line between Sect. 23 & 24, Sect. N. R. 2 E

39.96 Set q. Sec. post at av. dist. from which
a Beech 20 in. dia. bran East 10 in. dist. to

79.92 to Sec. Cor.

North Between Sect. 22 & 23, Sect. N. R. 2 E

40.00 Set the q. Sec. post, from which

a Beech 6 in. dia. bran N 20 W 30 in. dist. to

a llo 10 " " N 42 E 28 " "

41.00 a Brook 12 in. wide C. S. 147.

79.00 a llo 10 " " S. 147.

80.00 Set a post Cor. to Sect. 14, 15, 22 & 23, from which

a Dogwood 6 in. dia. bran N 21 W 22 in. dist. to

a Beech 20 " " S 44 W 21 " "

Sand rolling, timber, Beech, Poplar &c.

East On Random between Sect. 14 & 23, Sect. N. R. 2 E.

40.00 Set the q. Sec. post (temporary)

80.08 intersected the N. & S. line 8 in. S. of the corner

Sand, timber &c. same as on the last mile

West On true line between Sect. 14 & 23, Sect. N. R. 2 E.

40.04 Set the q. Sec. post at average dist. from which

a Beech 10 in. dia. bran N 65 W 19 in. dist. to

a llo 20 " " N 65 E 5 " "

80.08 to Sec. corner

North Between Sect. 14 & 15, Sect. N. R. 2 E. 2nd Ma.

239

Sect. R.R.C. I., Mer. Indiana

- 40.00 Set the q. Sec. post, from which
a Sycamore 10 in. dia. bran N 42° W 8 lbs. dist. of
a do 10 " " N 50° E 30 " "
80.00 Set a post Cor. to Sect. 10, 11, 14 & 15, from which
a Beech 10 in. dia. bran N 71° E 5 lbs. dist. of
a do 10 " " S 8° E 30 " "
Land very hilly and very brushy.
-

East On Random between Sect. M & N, Sect. R.R.C. I.

40.00 Set temporary q. Sec. post
80.08 Intersected the N & S. line 10 lbs. S. of the corner.
Land, timber &c. Same as on the last mile.

- West On true line between Sect. M & N, Sect. R.R.C. I.
40.04 Set the q. Sec. post at ar. dist. from which
a W. Oak 18 in. dia. bran N 84° E 28 lbs. dist. of
a Beech 12 " " J 61° W 25 " "
80.08 to Sec. cor.
-

- North Between Sect. 10 & 11, Sect. R.R.C. I., Mer.
- 40.00 Set the q. Sec. post, from which
a Dogwood 6 in. dia. bran N 50° W 12 lbs. dist. of
an Ironwood 6 " " N 87° E 20 " "
80.00 Set a post Cor. to Sect. 2, 3, 10 & 11, from which
a Beech 8 in. dia. bran N 14° W 18 lbs. dist. of
a do 8 " " N 50° W 10 " "
Land very hilly thin soil.
-

- East On Random between Sect. 2 & 11, Sect. R.R.C. I.
- 40.00 Set temporary q. Sec. post
80.06 Intersected the N & S. line 14 lbs. N. of the corner.
Land, timber &c. Same as on the last mile
-

Sect. 112 E. I. Mer. Indiana

West On timeline between Sec. 2 & 11, T. 6 N., R. 22 E.
 40.03 Set the qt. Sec. post, at a sq. dist. from which
 a Beech 10 in. dia. bran S 73° W 24 lbs. dist. of
 a W. Oak 20 " " " N 63° E 25 " "
 80.06 to Sec. Corner.

North Between Sec. 2 & 3, T. 6 N., R. 22 E. 2nd Mer.
 31.00 at Brook 10 lbs. wide C. S. N. E.
 40.00 Set the qt. Sec. post, from which
 a Beech 10 in. dia. bran N 28° W 16 lbs. dist. of
 a W. Oak 12 " " " S 87° W 10 " "
 61.50 a Brook 12 lbs. wide C. S. N. E.
 87.50 Intersected the N. boundary 225 lbs. E. of corner
 Set a post, cor. to Sect. 2 & 3, from which
 a Beech 20 in. dia. bran S 54° E 12 lbs. dist. of
 a Do 10 " " " N 28° E 15 " ".
 Land hilly thin Soil. March 22nd 1814

North Between Sec. 33 & 34, T. 6 N., R. 22 E. 3rd Mer.
 17.00 at Brook 10 lbs. wide C. S. E.
 40.00 Set the qt. Sec. post, from which
 a Beech 10 in. dia. bran S 34° W 27 lbs. dist. of
 a Do 10 " " " N 68° E 31 " ".
 80.00 Set a post cor. to Sect. 27, 28, 33 & 34, from which
 a Beech 20 in. dia. bran S 15° E 45 lbs. dist. of
 a Do 10 " " " N 19° W 28 " ".
 Land rolling, timber Oak, Beech, Poplar & Hickory

East On Land betw. Sec. 27 & 34, T. 6 N., R. 22 E.
 40.00 Set temp. qt. Sec. post
 52.50 a Brook 4 lbs. wide C. S. S. E.
 80.08 Intersected the N. S. line 18 lbs. N. of the corner
 Land, timber &c. same as on the last mile

241

~~241~~

West R.R. E. 2^d. Mer. Indiana

West On true line between Sec. 27 & 34, Sec. N. R.R.E.
40.04 Set q. Sec. post, at avg. dist. from which
a Beech 20 in. dia. bran N 83° W 47¹⁵ ft. dist. of
a Do 12 " " " 156° E 20 " "
80.08 to Sec. corner.

North Between Sec. 27 & 28, Sec. N. R.R.E. 2^d. Mer.
12.00 at Beech 20 in. dia. " "
40.00 Set the q. Sec. post, from which
a Beech 10 in. dia. bran S 45° W 11¹⁵ ft. dist. of
a Do 10 " " " N 69° E 16 " "
80.00 Set a post cor. to Sec. 21, 22, 27 & 28, from which
a Sugar 8 in. dia. bran N 4° W 19 ft. dist. of
a Beech 12 " " " N 63° W 25 " "
Land, timber &c. same as on the last mile.

East On Random between Sec. 22 & 27, Sec. N. R.R.E.
40.00 Set tempy. q. Sec. post
55.00 a Brook 12 ft. wide C. S. W.
80.10 Intersected the N.H.S. line 10 ft. N. of corner
Land, timber &c. same as on the last mile

West On true line between Sec. 22 & 27, Sec. N. R.R.E.
40.05 Set q. Sec. post, at avg. dist. on true line from
which a Beech 6 in. dia. bran S 39° E 41¹⁵ ft. dist. of
a Do 6 " " " N 49° W 19 " "
80.10 to Sec. corner.

North Between Sec. 21 & 22, Sec. N. R.R.E.
5.00 a Brook 12 ft. wide C. S. E. at three forks.
40.00 Set the q. Sec. post, from which
a W. Oak 20 in. dia. bran S 10° E 38 ft. dist. of
a Dogwood 6 " " " N 45° E 10 " "

Loc. RD E. I., Mer. Indiana

80.00 Set a post Cov. to Sec. 15, 16, 21 & 22, from which
a Dogwood 6 in. diam. bran 14 ft 2 lbs. dist. of
a Beech 20 " " N 28° E 34 " "
Land timber &c. same as on the last mile

East On Random between Sec. 15 & 22, Loc. N. R.R.E.
40.00 Set temp. of. Sec. post
79.94 Intersected the N. S. line 18 lbs. S. of the corner
Land, timber &c. same as on the last mile

West On true line between Sec. 15 & 22, Loc. N. R.R.E.
39.97 Set of. Sec. post at av. dist, from which
a W. Oak 20 in. diam. bran 16 ft 16 lbs. dist. of
a Beech 6 " " N 15° E 7 " "
79.94 to Sec. corner.

North Between Sec. 15 & 16, Loc. N. R.R.E.
3.20 a W. Oak 20 in. diam.
5.00 a Brook 10 lbs. wide C. S. M.W.
12.00 a also 12 " " S. W.
40.00 Set the of Sec. post, from which
a W. Ash 6 in. diam. bran 29 ft 6 lbs. dist. of
a Sassafras 6 " " N 28° E 9 " "
53.60 a W. Oak 20 in. diam.
80.00 Set a post Cov. to Sec. 9, 10, 15 & 16, from which
a W. Oak 12 in. diam. bran 20 ft 34 lbs. dist. of
a Gum 10 " " N 28° E 25 " "
Land very hilly, thin soil.

East On Random between Sec. 10 & 15, Loc. N. R.R.E.
40.00 Set temp. of. Sec. post
80.06 Intersected the N. S. line 12 lbs. S. of corner.
Land the same thin soil, timber Oak & hickory

243 24

Sec. RD E. 2nd Mer. Indiana

West On true line between Sec. 10 & 15, Sec. N. RD E.
 40.03 Set q. Sec. post at average dist. from which
 a B. Oak 6 in. dia. bran 11 ft. 6 in. dist. of
 a Beech 5 " " " 15 ft 4 " "
 80.06 to Sec. Corner.

North Between Sec. 9 & 10, Sec. N. RD E.
 40.00 Set the q. Sec. post from which
 a B. Oak 20 in. dia. bran 13 ft 7 1/2 in. dist. of
 a W. Oak 12 " " " 14 ft 2 1/2 " "
 52.00 a Brook 11 ft. wide C.P. S. 47.
 80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which
 a B. Oak 10 in. dia. bran 13 ft 16 1/2 in. dist. of
 a Gum 12 " " " 16 ft 8 1/2 " "
 Land the same as on the last mile

East On Random between Sec. 3 & 10, Sec. N. RD E.
 40.00 Set tempy. q. Sec. post in
 79.96 Intersected the N.H.S. 12 ft. N. of the corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 3 & 10, Sec. N. RD E.
 39.98 Set q. Sec. post, at avg. dist. from which
 a W. Oak 20 in. dia. bran 18 ft 6 1/2 in. dist. of
 a Llo 10 " " " 18 ft 17 " "
 79.96 to Sec. Corner.

North Between Sec. 3 & 4, Sec. N. RD E. 2nd Mer.
 40.00 Set the q. Sec. post, from which
 a B. Oak 10 in. dia. bran 13 ft 8 1/2 in. dist. of
 a Llo 10 " " " 16 ft 9 " "
 85.50 Intersected the N. boundary 325 ft. E. of the
 Cor. Set a post Cor. to Sec. 3 & 4, from which

244

S. N. Ry E. T. Mer. Indiana

W. Oak 20 in. dia. bran \$50 E. 22 lbs. dist. of
a B. Oak 6 " " \$88 77 32 " "
Land the same March 23. 1814

North Between Sec. 32 & 33, T. 6 N. R. 2 E.
40.00 Set a post for q. Sec. Cor. from which
a Hickory 10 in. dia. bran \$56 77 11 lbs. dist. of
a Sugar 6 " " \$54 77 5 " "
80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which
a Beech 20 in. dia. bran \$87 97 25 lbs. dist. of
a Slo 6 " " \$85 E 10 " "
Land rich, timber Beech &c.

East On Random between Sec. 28 & 33, T. 6 N. R. 2 E.
40.00 Set temp. q. Sec. post
79.89 Intersected the N. S. line 14 lbs. of the corner
Land rich, timber Oak, Beech, Poplar, Ash &c.

West On true line between Sec. 28 & 33, T. 6 N. R. 2 E.
39.94 1/2 Set q. Sec. post at avg. dist. from which
a Beech 12 in. dia. bran \$70 97 8 lbs. dist. of
a Slo 30 " " \$58 E 25 " "
79.89 to Sec. corner.

North Between Sec. 28 & 29, T. 6 N. R. 2 E.
40.00 Set the q. Sec. post, from which
a Poplar 12 in. dia. bran \$43 77 7 lbs. dist. of
a Sugar 10 " " \$50 E 25 " "
80.00 Set a post Cor. to Sec. 20, 21, 28 & 29, from which
a Beech 6 in. dia. bran \$13 97 9 lbs. dist. of
a Slo 20 " " East 7 " "
Land timber &c. same as on the last mile

243

Hart-R.D.E.I. Mer. Indiana

East On Random between Sec. 21 & 28, Hart-R.D.E.I.

40.00 Set tempf. qf. Sec. post
80.10 Intersected the N.W.S. line 30 lbr. S. of the corner.
Sand hilly, timber Beech, Oak & Hickory

West On true line between Sec. 21 & 28, Hart-R.D.E.I.

40.05 Set qf. Sec. post, at avg. dist. from which
a W. Oak 20 in. dia. bran 118 E 38 lbr. dist. of
80.10 to Sec. Corner.

North Between Sec. 20 & 21, Hart-R.D.E.I.

40.00 Set the qf. Sec. post, from which
a Beech 8 in. dia. bran 118 E 38 lbr. dist. of
a Do 18 " " 150 E 9 "
80.00 Set a post cor. to Sec. 16, 17, 20 & 21, from which
a W. Oak 24 in. dia. bran 110 E 16 lbr. dist. of
a Do 10 " " 129 W 15 "
Sand hilly, timber Oak & Hickory.

East On Random between Sec. 16 & 21, Hart-R.D.E.I.

40.00 Set tempf. qf. Sec. post
80.00 Intersected the N.W.S. line 18 lbr. S. of the corner
Sand timber &c. same as on the first mile

West On true line between Sec. 16 & 21, Hart-R.D.E.I.

40.00 Set the qf. Sec. post at avg. dist. from which
a W. Oak 20 in. dia. bran 114 W 10 lbr. dist. of
a Beech 8 " " 160 E 5 "
80.00 to Sec. Corner.

North Between Sec. 16 & 17, Hart-R.D.E.I.

39.00 a Brook 10 lbr. wide Q. S. N.W.
40.00 Set the qf. Sec. post, from which

Hart R.R.E. 2nd Mer. Indiana

a Beech 18 in. dia. bran N 50° W 31¹/₂ br. dist. of
 a Beech 12 " " S 63° W 26 " "
 43.00 at Brook 12¹/₂ br. wide C.S. M.
 80.00 at a post Corners to Sec. 8, 9, 16 & 17, from which
 a Beech 6 in. dia. bran N 67° W 39¹/₂ br. dist. of
 a Hickory 12 " " N 29° E 10 " "
 Land very hilly, thin soil, timber Oak & Hickory

East On Random between Sec. 9 & 16, Hart R.R.E.
 40.00 at the temp. of Sec. post.
 80.00 intersected the N & S. line 12¹/₂ br. N. of corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 9 & 16, Hart R.R.E.
 40.00 at the q. Sec. post at avg. dist. from which
 a W. Oak 6 in. dia. bran N 49° W 9¹/₂ br. dist. of
 a Ho 6 " " " S 12° E 11 " "
 80.00 at p. corner.

North Between Sec. 8 & 9, Hart R.R.E.
 15.00 at Brook 12¹/₂ br. wide C.S. M.
 40.00 at the q. Sec. post, from which
 a W. Oak 20 in. dia. bran N 31° W 26¹/₂ br. dist. of
 a Hickory 6 in. " " N 24° E 13 " "
 80.00 at a post Corners to Sec. 4, 5, 8 & 9, from which
 a B. Oak 10 in. dia. bran N 66° E 18¹/₂ br. dist. of
 a W. Walnut 6 " " N 20° W 30 " "
 Land, timber &c. same as on the last mile

East On Random between Sec. 4 & 9, Hart R.R.E.
 27.00 at Brook 12¹/₂ br. wide C.S. M.
 40.00 at temp. q. Sec. post
 80.50 intersected the N & S. line 18¹/₂ br. N. of corner.

Sec. R.R.E. I. Mer. Indiana

Land timber &c. same as on the last mile

West On true line between Sec. 4th 9, Sec. N. R.R.E.
40.25 Set q. Sec. post at av. dist. from which
a W. Oak 20 in. dia. bran N 88° W 25 lbs. dist. of
a Gum 12 " " " N 28 E 10 " "
80.50 to Sec. Corner.

North Between Sec. 4th 5, Sec. N. R.R.E.
40.00 Set thq. Sec. post, from which
a Beech 10 in. dia. bran N 15 W 20 lbs. dist. of
a W. Oak 8 " " " S 20 E 9 " "
85.60 Set a post Cor. to Sec. 4th 5 on the N. boundary
4.50 lbs. E. the corner, from which
a W. Oak 12 in. dia. bran N 30 E 41 lbs. dist. of
a Do 20 " " " S 45 E 50 " "
Land the same. March 24th. 1814.

North Between Sec. 31th 32, Sec. N. R.R.E.
13.50 a Brook 8 lbs. wide C. S. 197.
21.25 a Beech 20 in. dia.
40.00 Set thq. Sec. post, from which
a Sugar 6 in. dia. bran East 23 lbs. dist. of
a Do 20 " " " N 60 W 5 " "
80.00 Set a post Cor. to Sec. 29, 30, 31th 32, from which
a Poplar 40 in. dia. bran N 15 E 22 lbs. dist. of
a W. Oak 30 " " " S 84 W 24 " "
Land rolling, timber, Beech, Poplar, Sugar &c.

East On Random btrs. Sec. 29 & 32, Sec. N. R.R.E.
40.00 Set thq. Sec. post temporary
79.88 intersected the N. S. line at the corner
Land timber &c. same as on the last mile

F.C.R.R.E. I. Mer. Indiana

West On true line between Sec. 29 & 32

39.94 Set a post at avg. dist. on true line for q. Sec. Corner, from which

a Sugar 10 in. dia. bran West 22 lvs. dist. of
a Beech 6 " " " West 9 lvs " "

79.88 to Sec. Corner.

North Between Sect. 29 & 30, F.C.R.R.E.

40.00 Set the q. Sec. post, from which

a Maple 12 in. dia. bran S 16 E 11 lvs. dist. of
a Beech 10 " " " 188 E 18 " "

48.50 a Brook 18 lvs. wide W. S. E. N.

80.00 Set a post Cor. to Sec. 19, 20, 29 & 30, from

which a Beech 20 in. dia. bran N 18 W 34 lvs. dist. of
a Dog 12 " " " N 54 W 34 " "

Land, timber &c. same as on the last mile

East On Rand m. betw. Sect. 20 & 29, F.C.R.R.E.

30.00 a Brook 10 lvs. wide W. S. E. N.

40.00 Set temp. q. Sec. post

80.00 Intersected the N. S. line 12 lvs. S. of corner

Land, timber &c. same as on the last mile

West On true line between Sect. 20 & 29, F.C.R.R.E.

40.00 a Beech 6 in. dia. for q. Sec. Cor. at avg. distance on true line.

80.00 to Sec. Corner.

North Between Sect. 19 & 20, F.C.R.R.E.

40.00 Set the q. Sec. post, from which

a W. Oak 10 in. dia. bran S 12 E 29 lvs. dist. of
a Dogwood 6 " " " N 43 E 8 " "

80.00 Set a post Cor. to Sect. 17, 18, 19 & 20, from which

249

N.E. 1/4 E. D. Mer., Indiana

a Sugar 10 m. dia. bran N 33° W 12 lk. dist. of
 a W. Walnut 8 " " " 160 ft 8 " "
 Land very hilly & brushy, Oak & Hickory

East On Random between Sec. 17 & 20, N.E. 1/4 E. D. Mer.
 40.00 Set temp't. of Sec. post
 50.00 at Brook 12 lk. wide C. S. N.
 80.00 Intersected the N & S. line 15 lk. S. of the corner.
 Land timber &c. same as on the last mile

West On true line between Sec. 17 & 20, N.E. 1/4 E. D. Mer.
 40.00 Set of Sec. post at a r. dist. from which
 a Redbud 8 in. dia. bran N 89° W 37 lk. dist. of
 a W. Walnut 8 " " " 115 ft 26 " "
 80.00 to Sec. Corner.

North Between Sec. 17 & 18, N.E. 1/4 E. D. Mer.
 17.75 at Brook 40 lk. wide C. S. N.
 40.00 Set the of Sec. post, from which
 a Beech 10 m. dia. bran S 38° E 18 lk. dist. of
 a Elm 18 " " " 167 ft 11 " "
 80.00 Set a post Con. to Sec. 17, 8, 17 & 18, from which
 a Hickory 7 in. dia. bran South 7 lk. dist. of
 a W. Oak 6 " " " N 34° W 10 " ".
 Land timber &c. same as on the last mile.

East On Random between Sec. 8 & 17, N.E. 1/4 E. D. Mer.
 40.00 Set temp't. of Sec. post
 67.00 at Brook 10 lk. wide C. S. N.
 80.10 Intersected the N & S. line 6 lk. N. of the corner.
 Land, timber &c. same as on the last mile.

West On true line between Sec. 8 & 17, N.E. 1/4 E. D. Mer.

Hart R.R.E. I., Mer. Indiana

- 40.05 Set q. Sec. post at avg. dist. on true line from which
an Elm 10 in. dia. bran N19W81Ls. dist. of
a Beech 8 " " " N45W16 " "
80.10 to Sec. corner.

North Between Sec. 7 & 8, Hart R.R.E. I., Mer.

- 40.00 Set the q. Sec. post, from which
a Hickory 20 in. dia. bran S20E29Ls. dist. of
a Beech 10 " " " N18W31 " "
40.50 at Brook 12 Ls., wide Cr. S. S. M.
80.00 Set a post on to Sec. 5, 6, 7 & 8, from which
a Gum 12 in. dia. bran N6E50Ls. dist. of
a W. Oak 12 " " " N30W21 " "
Land timbered. Same as on the ^{last} mile

East On Random between Sec. 5 & 8, Hart R.R.E.

36.00 at Brook 8 Ls., wide Cr. S. S. M.

40.00 Set temp. q. Sec. post.

78.98 Intersected the N.Y.S. line 30 Ls. N. of the corner
Land timbered. Same as on the last mile.

West On true line between Sec. 5 & 8, Hart R.R.E.

- 39.49 Set q. Sec. post at avg. dist. from which
a Beech 12 in. dia. bran East 10 Ls. dist. of
a Syc 8 " " " N88E150 " "

78.98 to Sec. corner.

North Between Sec. 5 & 6, Hart R.R.E.

12.00 at Brook 12 Ls., wide Cr. S. S. M.

40.00 Set the q. Sec. post, from which
a W. Oak 18 in. dia. bran S45E29Ls. dist. of
a Syc 20 " " " N63E29 " "

83.00 Intersected the N. boundary 72 Ls. E. of corner.

35

No N.R.R.E.I. Mer. Indiana

Set a post Cor. to Sect. 5 & 6, from which
 a W. Oak 12 in. dia. bran 152 E 5 lbs. dist. of
 a B. Oak 10 " " 154 W 21 " "
 Land the same very hilly & brushy covered
 with green briar. March 25th, 1814.

West Between Sect. 6 & 7, No N.R.R.E.

8.00 at Brook 10 lbs. wide C.S. S.W.
 40.00 left the qt. Sec. post, from which
 a Hickory 6 in. dia. bran 113 E 13 lbs. dist. of
 a W. Oak 18 " " 162 W 34 " "
 68.50 at Brook 10 lbs. wide C.S. S.W.
 70.50 intersected the W. boundary 158 lbs. N. of the
 corner. Set a post Cor. to Sect. 6 & 7, from which
 a W. Oak 10 in. dia. bran 155 E 12 lbs. dist. of
 a B. Oak 10 " " 169 W 16 " "
 Land hilly & very brushy covered with green briar.

West Between Sect. 7 & 18, No N.R.R.E.

15.00 at Brook 10 lbs. wide course South
 40.00 left the qt. Sec. post, from which
 a Hickory 12 in. dia. bran 181 E 25 lbs. dist.
 of W. Oak 12 " " 161 W 27 " "
 68.90 intersected the W. boundary 62 lbs. N. of corner.
 Set a post Cor. to Sect. 7 & 18, from which
 a W. Oak 20 in. dia. bran 171 E 32 lbs. dist. of
 a Ho 20 " " 149 W 25 " "
 Land timbered same as on the last mile

West Between Sect. 18 & 19, No N.R.R.E.

40.00 left the qt. Sec. post, from which
 an Elm 10 in. dia. bran 181 W 29 lbs. dist. of
 a W. Ash 20 " " 118 E 27 " "

Sect - R. 2 E. 2 Mer. Indiana

67.56 Intersected the N. boundary 45th. N. of corner
Set a post Cor. to Sect. 18 & 19, from which
a W. Oak 20 in. dia. bran West bank dist. of
a Beech 10 " " " N 10 E 17 " "
Land timber &c. same as on the last mile

West Between Sect. 19 & 30, T 6 N. R 2 E.

23.00 a W. Oak 20 in. dia.
40.00 Set the q. Sec. post, from which
at Beech 18 in. dia. bran S 73 E 38 th. dist. of
an Ironw. C. 6 " " " S 17 W 14 " "
42.00 at Brook 10 lbs. wide C. S. M.
65.71 Intersected the N. boundary 30th. S. of corner.
Set a post Cor. to Sect. 19 & 30, from which
a W. Oak 12 in. dia. bran N 72 E 10 th. dist. of
a Beech 18 " " " N 20 W 4 " "
Land timber &c. same as on the last mile

West Between Sect. 30 & 31, T 6 N. R 2 E.

40.00 Set the q. Sec. post, from which
a sugar 10 in. dia. bran S 58 E 15 th. dist. of
a do 20 " " " S 51 E 23 " "
64.85 intersected the N. boundary 25th. S. of corner
Set a post Cor. to Sect. 30 & 31, from which
a Beech 20 in. dia. bran N 34 E 16 th. dist. of
a do 10 " " " S 57 W 16 " "
Land rolling, limber Oak, Beech, sugar &c.

March 25th 1814.

Surveyed by Arthur Hennic, D.S.

Comp.

253

Sec. R. 2 E. T.^o Mer. Indiana

I certify that the foregoing transcript of field notes
of Township N^o. 6 N. Range N^o. 2 E. T^o Mer. Indiana
has been Comp^r. with the original notes in this office
and found to be correct.

Surveyor General's Office
Cincinnati, Feb. 25th 1841

C. S. Fair
Sur. Gen.